





Sinohero Industrial Ltd

Catalogue 2024 Spring

Wireless Charger







2-in-1 Zinc-Alloy Magsafe Wireless Charging Stand

Model No. WI00210

Key Features and Functions

- Baking finish zinc alloy housing with transparent panel on charging area
- Angle of magnetic holder can be adjusted
- Strong N52 magnets inside
- Compatible with iPhone 15/14/13/12 series, and certified MagSafe Cases
- USB-C input: PD20W
- Output: Magnetic Wireless: 15W Max, AirPods Wireless: 5W
- Qi/CE/FCC/RoHS compliant






Aluminium Housing Magsafe Wireless Charging 10000mAh Power Bank with Fixed USB-C Cable

...

Model No. WP10311

Key Features and Functions

- Built-in UL approved A grade 10000mAh Li-poly battery cell
- Compact size only 88x64x18.8mm, holding on IP15/14/13/12 firmly and easily
- USB-C cable input: DC5V/3A, 9V/2A(QC3.0 or PD20W)
- Three outputs: Wireless:15W/10W/7.5W/5W, USB-C cable:PD20W, USB-C port: PD18W.
When charge 2 or 3 devices at the same time, share 5V/3A
- On/off switch, 4 LEDs indicate battery volume
- Qi/CE/FCC/RoHS compliant





Foldable Plug




All-In-One Magsafe Wireless Wall Charger Power Station

...

Model No. WP05217

Key Features and Functions

- All-In-One Magsafe Wireless Wall Charger Power Station with 5000mAh Capacity
- Small and light, thickness only 15.5mm, weight 166g, foldable US standard plug
- Built-in UL approved A grade 5000mAh Li-poly battery cell
- Two input modes: AC100-240V,50/60Hz,0.5A or Type C port PD20W
- Output:Wireless 15W/10W/7.5W/5W, Type-C: PD20W,when charge two devices at the same time, share 5V/3A
- On/off switch, four small LEDs indicate battery volume
- Fireproof PC material plastic housing, size: 108*66*15.5mm
- Qi/ETL/CE/FCC/RoHS compliant





Kickstand Magsafe 15W Wireless Charger


...

Model No. WP00173

Key Features and Functions

- Kickstand Magsafe 15W Wireless Charger with Zinc Ring and Acrylic Panel
- Strong N52H magnets inside, holding the IP12/13/14/15 firmly even if hang it
- Metallic painting plastic housing with rubberized pad, size D60x9mm
- Compatible with MagSafe phone cases
- USB-C input: PD20W
- Output: 15W/10W/7.5W/5W
- Qi/CE/FCC/RoHS compliant





Full Aluminium Super Mini Magsafe Wireless Charging Power Bank

...

Model No. WP05221

Key Features and Functions

- Full Aluminium Housing Super Mini Magsafe Wireless Charging 5000mAh Power Bank
- Built-in UL approved A grade 5000mAh Li-poly battery cell
- Mini size only 79x60x12mm, holding on IP15/14/13/12 firmly and easily
- USB-C input: DC5V/3A, 9V/2.22A, 12V/1.67A (QC3.0 or PD20W)
- Two outputs: Wireless: 15W/10W/7.5W/5W, USB-C: PD 20W. When charge 2 devices at the same time, share 5V/3A
- On/off switch, 4 LEDs indicate battery volume
- Qi/CE/FCC/RoHS compliant





Transparent Panel + Circle LED Magsafe 15W Wireless Fast Car Charger

...

Key Features and Functions


- Strong N52H magnets inside, holding the IP15/14/13/12 firmly
- Acrylic transparent panel, transparent frame with circle LED inside
- Embossed charging area, won't interfere the camera of iPhone
- Clamp style air-vent clip with support plate, easy to install and more stable
- Can be rotated freely, also can change the car mount by yourself easily
- USB-C input: 5V/3A,9V/2.22A,12V1.5A(support QC3.0 or PD 20W)
- Output: 15W/10W/7.5W/5W
- Qi/CE/FCC/RoHS compliant

Model No. WP00373



WP00372

GaN & PD Mode Fast Charger



PA03486(US)

PA03489(EU)

PA03490(UK)

- PD3.1 GaN ETL&CE approved **140W** PD mode 4-port wall charger
- Output: when one port work alone, C1: PD140W, C2: PD140W, C3: PD30W, USB-A: QC4.0(30W)
When work simultaneously, total output: 140W
C1+C2: PD70W+PD70W, C3+A: 5V/3.6A
C1/C2+C3: PD100W+PD30W, C1+C2+A: PD65W+PD45W+QC3.0(18W)
C1/C2+A: PD100W+QC4.0(30W), C1/C2+(C3+A): PD100W+5V/3.6A(C3&A share)
C1+C2+(C3+A): PD65W+PD45W+5V/3.6A(C3&A share)
- US/EU/UK standard AC plug
- Size: 67*63*31mm, net weight 215g



PC00310

- GaN Slim&Mini ETL/CE Approved PD**100W** Universal Laptop AC Adaptor
- Widely used for all Laptops with USB-C charging interface
- Input: AC110-240V, 50/60Hz, detachable power cord, length 1.2M, US/EU/UK plug available
- USB C connector, output 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
- Extra USB-A port, output QC3.0(18W) to charge other suitable devices
- High shine plastic housing, dimension 114x55x22mm
- Strip blue LED indicator
- ETL/CE/FCC/RoHS compliant



PC00395

- GaN Slim&Mini ETL&CE approved **95W** laptop AC adaptor, adjust output voltage automatically
- Equipped with 9pc charging tips for more than 100 models of Laptop
- Input: AC110-240V, 50/60Hz. Output: DC15-20V, 4.75A max
- Detachable power cord, length 1.2m, US/EU/UK plug available
- Extra USB-A port, output DC5V/2.4A to charge other suitable devices
- High shine plastic housing, dimension 114x55x22mm
- Strip blue LED indicator
- ETL/CE/FCC/RoHS compliant



PA03361(US)

PA03370(EU)

PA03371(UK)

- GaN ETL&CE Approved **70W** PD Mode 3-Port Mini Wall Charger
- Output: when one port work alone, C1:PD70W, C2:PD20W, USB-A: QC3.0(18W)
- When work simultaneously: C1+C2: PD45W+PD20W
 - C1+A: PD45W +QC3.0
 - C2+A: 5V/3A(shared)
 - C1+C2+A: PD45W+5V/3A(C2&A shared)
- US/EU/UK standard AC plug
- Size: 61.5x44.4x29.4mm
- ETL/cETL/CE/FCC compliant



PA03484

- GaN ETL&CE approved **65W** PD mode 4-ports slim desktop charging station
- Output: when one port work alone, Type C: PD65W, USB-A: QC3.0(18W).
When work simultaneously
C1+C2: PD45W+PD20W,
C1+A1 or A2: PD45W +QC3.0,
C1+A1+A2: PD45W+5V/3A(A1&A2 shared)
C2+A1+A2: 5V/3A(3 ports shared)
C1+(C2+A1+A2): PD45W+5V/3A(3 ports shared)
- Size:114x102x20mm
- Length 1.5m AC power cable, US/EU/UK/AUS plug available
- ETL/cETL/CE/FCC compliant




PA03360(US)

PA03362(EU)

PA03363(UK)

- GaN ETL&CE approved **65W** PD mode 3-ports mini travel charger
- Output: when one port work alone, C1:PD65W, C2:PD20W, USB-A: QC3.0(18W)
When work simultaneously
C1+C2 : PD45W+PD20W
C1+A: PD45W +QC3.0
C2+A: 5V/3A(shared)
C1+C2+A: PD45W+5V/3A(C2&A shared)
- Size: 62x45x28mm
- US/EU/UK standard AC plug
- ETL/cETL/CE/FCC/Rohs compliant



PA03816

- GaN Ultra-Slim ETL Approved **70W** PD Mode Dual Output Foldable US Plug Travel Charger
- Output: when one port work alone, USB-C: PD70W(5V/3A,9V/3A,12V/3A,15V/3A, 20V/3.5A), USB:QC3.0(18W). When work simultaneously, output PD45W + QC3.0
- Total power 70W max
- Size: 89x48x15.8mm
- Foldable USA standard AC plug
- ETL/cETL/CE/FCC compliant



PA03817

- GaN Ultra-Slim ETL Approved **70W** PD Mode Dual USB-C Foldable US Plug Travel Charger
- Output: when one port work alone, USB-C: PD70W(5V/3A,9V/3A,12V/3A,15V/3A, 20V/3.5A), When work simultaneously, output PD45W + PD18W
- Total power 70W max
- Size: 89x48x15.8mm
- Foldable USA standard AC plug
- ETL/cETL/CE/FCC compliant



PA03277(US)

PA03278(EU)

PA03279(UK)

- GaN ETL&CE Approved **48W** PD Mode Dual Output Wall Charger
- Output: when one port work alone, USB-C: PD45W, USB-A: QC3.0(18W)
when work simultaneously, output: PD30W+QC3.0(18W)
- Total power 48W
- US/EU/UK standard AC plug
- Size: 62*45*28mm
- ETL/cETL/CE/FCC compliant



PA03152

- GaN Ultrathin ETL&CE Approved **35W** PD Mode Foldable US Plug Travel Charger
- Output: 5V/3A,9V/3A,12V/2.92A,15V/2.33A, 20V/1.75A
- Size: 65.5x41x16.3mm
- Foldable USA standard AC plug
- ETL/cETL/CE/FCC compliant

PA03930

- ETL approved **30W** PD mode travel charger
- Type C output: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A, PPS: 3.3V-11V/2.7A, 3.3V-16V/1.7A
- Size: 45x42x28mm
- Foldable USA standard AC plug
- ETL/cETL/CE/FCC compliant




UA03033

- Travel adaptor **PD20W** charger with 3 USB port and universal socket & retractable plugs.
- Rated input: 100-250V/50-60Hz/8A
- Rated power: 2000W max
- Output:when one USB work alone,USB-C:PD20W, USB-A1/A2:QC3.0(18W). when work simultaneously, 3 ports share 5V/3A
- USA/EU/AUS/UK AC plugs combined in one unit, worldwide compatibility.
- Universal socket with safety shutters, suitable for all kinds of AC plug.
- LED indicator
- CE/FCC/Rohs compliant

UA03041

- Travel adaptor **PD20W** charger with 4 USB port and universal socket & retractable plugs.
- Rated input: 100-250V/50-60Hz/8A
- Rated power: 2000W max
- Output:when one USB work alone,USB-C1/C2:PD20W, USB-A1/A2:QC3.0(18W). when work simultaneously, 4 ports share 5V/3A
- USA/EU/AUS/UK AC plugs combined in one unit, worldwide compatibility.
- Universal socket with safety shutters, suitable for all kinds of AC plug.
- LED indicator
- CE/FCC/Rohs compliant





ETL PD20W Wall Charger Power Bank with Built-in Type-C cable

...

Model No. UC30536

Key Features and Functions

- ETL Certified Built-in Type-C cable PD20W Wall Charger Power Bank with 5000mAh Capacity
- Fireproof PC material housing with transparent panel, foldable US standard plug
- Lockable built-in Type C cable, can be used as a hanging rope
- UL approved A grade 5000mAh Li-ion battery cell inside
- Two input modes: AC100-240V,50/60Hz,0.5A or Type C port PD20W
- Output: Type-C cable: PD20W, Type-C port: PD18W, when charge two devices at the same time,share 5V/3A
- On/off switch, four small LEDs indicate battery volume
- Dimension 114*37*27.8mm, various color available
- ETL/CE/FCC/RoHS compliant



GaN Super Mini PD65W Full Metal Car Charger

...

Model No. PA02980

Key Features and Functions

- GaN Super Mini PD**65W** USB C+A Dual Output Full Metal Housing Car Charger
- Zinc-alloy housing size only D20.5x42mm, can be inserted in cigar socket completely
- Special designed zinc-alloy tab, take it out from socket easily
- Output: when one port work alone, USB-C PD65W (if input is DC12V, output is PD30W), USB-A 30W(QC3.0), when work simultaneously, two ports share 5V/3.6A.Total power 65W max
- CE/FCC/ROHS compliant



PA02280

- **83W** PD Mode USB C+A Dual Outputs Car Charger
- Plastic high shine housing with LED indicator
- Output: USB-C PD65W, USB-A QC3.0 18W, when 2 ports work at the same time, output PD65W+18W
- Total power 83W max
- CE/FCC/ROHS compliant



PA02214

- **140W** Aluminium Housing PD Mode USB C+A Dual Outputs Car Charger
- Full aluminium housing, dimension D33x70.2mm
- Output: USB-C PD140W(5V/3A,9V/3A,12V/3A,15V/3A,20V/5A,28V/5A), USB-A QC3.0 30W, when 2 ports work at the same time, output PD100W+30W
- Total power 140W max
- CE/FCC/ROHS compliant




PA02313

- **130W** Three Ports Carbon Fiber Surface PD Mode Car Charger
- High shine plastic housing with carbon fiber surface
- Output: USB-C1 PD100W, USB-C2 PD30W, USB-A QC3.0 30W, when 2/3 ports work at the same time,
C1+A1: PD100W+30W
C1+C2: PD100W+PD30W
A1+C2: share 5V/4.8A(24W)
C1+A1+C2: PD100W+ 5V/4.8A(A1&C2 share)
- Total power 130W max
- CE/FCC/ROHS compliant




USB cable



Built-in Magnetic Easy Self-Organization USB Type C to Type C V3.0 cable

...



Model No. UC29925



When you coil it,
it stays coiled!
Take it Anywhere!

- Keep your USB C cable to stay tidy on table, effortless storage and tangle-free carrying
- Aluminum housing with long SR, bend/flex test exceeds 10,000 times
- Support 5Gbps transmission and 60W charging power (20V/3A)
- Braided cable, OD 5.5mm, 3ft-6ft available
- RoHS/CP65 compliant

UC29924

- V2.0 Type C-C cable
- 480Mbps transmission
- 60W charging (20V/3A)
- Aluminum housing
- Braided flat cable, 3ft-6ft available



UC28362

- USB Type C to Type C V3.1 High Speed 10Gbps Cable with E-mark Chipset
- Support iPhone 15 series
- Aluminum housing with long SR, bend/flex test exceeds 20,000 times
- Support 10Gbps transmission and 3A current
- Braided cable, OD 4.5mm, 3ft-4ft available
- RoHS/Reach/CP65 compliant



UC28408

- USB Type C to Type C V4.0 High Speed 40Gbps Cable with E-mark Chipset
- Support iPhone 15 series
- Support 40Gbps transmission rate
- Support PD 240W 48V/5A max
- Support video output 8K@60Hz / double 4K@60Hz
- TPE Housing with Braided cable, length 1M
- RoHS/Reach/CP65 compliant

USB Type C to Type C V2.0 Sync&Charging Cable

•••

Key Features and Functions

- Support 480Mbps data transmission
- Support 3A current
- Compatible with IP15 series
- Can be made into a variety of colors
- RoHS/Reach/CP65 compliant




UC28387

- Integrating TPE housing
- Silicon soft cable, 3ft-6ft available
- Bending test 10,000 times




UC28390

- Integrating TPE housing
- Braided cable, 3ft-10ft available
- Bending test 10,000 times



UC28682

- Aluminum housing with long SR
- Silicon soft cable, 3ft-6ft available
- Bending test 10,000 times



UC28686

- Aluminum housing with long SR
- Braided cable, 3ft-10ft available
- Bending test 20,000 times

USB A to Type C V2.0 Sync & Charging Cable

•••


Key Features and Functions

- Support 480Mbps data transmission
- Support 3A current
- Compatible with IP15 series
- Can be made into a variety of colors
- RoHS/Reach/CP65 compliant




UC28386

- Integrating TPE housing
- Silicon soft cable, 3ft-6ft available
- Bending test 10,000 times




UC28389

- Integrating TPE housing
- Silicon soft cable, 3ft-6ft available
- Bending test 10,000 times



UC28683

- Aluminum housing with long SR
- TPE cable, 3ft-10ft available
- Bending test 10,000 times



UC28685


- Metal Banding TPE Housing
- TPE cable, 3ft-10ft available
- Bending test 10,000 times

MFI Lightning to Type C Sync & Charging Super Durable Cable

•••

Key Features and Functions

- Built-in Kevlar fibers, flexing test exceeds 10,000 times
- Reinforced SR design, diameter 3.0 mm, length 3ft-6ft available
- Can be made into a variety of colors
- Support PD fast charge
- RoHS/CP65 compliant




IP02302

- Aluminum housing with long SR
- Braided cable, 3ft-10ft available




IP02380

- Integrating TPE housing
- Silicon soft cable, 3ft-6ft available



IP02312


- Aluminum housing with long SR
- Silicon soft cable, 3ft-6ft available




IP02313

- Metal Banding TPE Housing
- TPE cable, 3ft-10ft available

Holder for Phone & Tablet





Full Metal Screen Rear Magsafe 360 Degree Rotation Car Holder

Model No. CX03009

Key Features and Functions

- Full Metal Screen Rear Magsafe 360 Degree Rotation Car Holder
- Built-in circle N52 strong magnets covered by smooth soft silicon pad
- Firmly attach directly to the IP15/14/13/12 and all mobile phones with Magsafe case
- Red 3M durable sticker, no residual when tear off
- 360 degree easy rotation





Retractable & Base Rotatable Magsafe Dashboard & Desktop Metal Holder

...

Key Features and Functions

- Retractable & Base Rotatable Magsafe Dashboard & Desktop Metal Holder
- Dual joints design, easily adjust to ideal angle and position
- Base can be rotated 360 degree
- Built-in circle N52 strong magnets covered by acrylic high shine pad
- Firmly attach directly to the IP15/14/13/12 and all mobile phones with Magsafe case
- Red 3M durable sticker, no residual when tear off

Model No. CX03010





Windshield & Dashboard 2 in 1 Telescopic Full Metal Slim Magsafe Car Holder

...

Key Features and Functions

- Windshield & Dashboard 2 in 1 Telescopic Full Metal Slim Magsafe Car Holder
- Full metal holder housing thickness only 4mm
- Built-in full circle N52 strong magnets
- Firmly attach directly to the IP15/14/13/12 and all mobile phones with Magsafe case
- Suction cup with sticky gel, can be mounted onto windshield or any other flat surfaces
- Telescopic tube length range from 113-169mm
- Gimbal adjustor with tighten knob, full 360 degree rotation

Model No. CX03011






Transparent Housing Magsafe Air-vent Metal Clip Car Holder

... **Model No. CX02011**

Key Features and Functions

- Transparent Plastic Housing Magsafe Air-vent Metal Clip Car Holder
- Latest designed air-vent mount with metal long clip and supporter, also can be moved updown, more universal, more stable
- Built-in circle N52 strong magnets covered by acrylic matte pad
- Firmly attach directly to the IP15/14/13/12 and all mobile phones with Magsafe case
- 360 degree easy rotation





Steering Wheel Style Magsafe Air-vent Car Holder

Model No. CX02010

Key Features and Functions

- Steering Wheel Style Plastic Housing Magsafe Air-vent Car Holder
- Built-in circle N52 strong magnets covered by smooth soft silicon pad
- Firmly attach directly to the IP15/14/13/12 and all mobile phones with Magsafe case
- Fit with screwing type fastness air-vent clip
- 360 degree easy rotation





Carbon Fiber Frame Plastic Housing Magsafe Air-vent Car Holder

...

Model No. CX02012

Key Features and Functions

- Carbon Fiber Frame Plastic Housing Magsafe Air-vent Car Holder
- Acrylic high shine panel, can customize printing of various pattern
- Built-in full circle N52 strong magnets
- Firmly attach directly to the IP15/14/13/12 and all mobile phones with Magsafe case
- Fit with screwing type fastness air-vent clip
- 360 degree easy rotation





Magsafe Slim Design Car Mount for IP 12/13/14/15

Model No. CX02006

Key Features and Functions

- Slim Design Plastic Housing Magsafe Car Mount for IP 12/13/14/15
- Acrylic high shine panel surrounded with soft silicon pad
- High quality metallic painting
- Built-in full circle N52 strong magnets
- Firmly attach directly to the phone without phone case or with MagSafe case
- Fit with latest screwing type fastness air-vent clip
- 360 degree easy rotation



More options of universal base



For Windshield



For Dashboard



For Cup groove



Carbon Fiber Frame Plastic Housing Magsafe Desktop Holder

Model No. DH91701

Key Features and Functions

- Carbon Fiber Frame Plastic Housing Magsafe Desktop Holder
- Tripod heavy desktop base with dual joints design, easily adjust to ideal angle and position
- Acrylic high shine panel, can customize printing of various pattern
- Built-in full circle N52 strong magnets
- Firmly attach directly to the IP15/14/13/12 and all mobile phones with Magsafe case, also can be used for Tablet
- 360 degree easy rotation



Sinohero Industrial Ltd is an experienced enterprise devoted to the R&D and manufacture of accessories for Smart phones and Tablets, including Wireless charger, USB charger, Holder, USB cable and so on. Our products enjoy a good reputation in North America and Europe market.

Strong R&D ability

By re-investing 30% of our annual revenue in R&D, we develop new items continuously according to the demand of the market. We conduct our R&D in various aspects, including circuit design, industrial design, configuration, material and modeling. We specialize in Power supply and Car accessories.

Quality control

We execute strict inspections from raw materials to final products to make sure all of your requirements are met.

Certifications for Easy Market Entry

Our products carry CE, UL/ETL, FCC, E-Mark and MFI approvals and comply with the RoHS, CP65 and Reach Directives.

Welcome OEM/ODM Orders

We welcome OEM/ODM orders. To benefit from our R&D ability, contact us now.

Office: 2801#,WenAn Center,WenJin Square,1010 Wenjin Road(North), Luohu,Shenzhen, China

SZ Factory: Building A, 8 Chenwu Road, Dakang, Henggang, Longgang, Shenzhen

Huizhou Factory: 10F, Building 8, Meilonghu Intelligent Manufacturing Industrial New Town, Huiyang, Huizhou, Guangdong

Tel:+86 755 83418318,83418898

Email: sales@sinohero.cn

Website: www.sinohero.cn